

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/715,942	11/18/2003	Norman Castellani	12504US04	4458	
7	7590 07/27/2005			EXAMINER	
Kirk A. Vander Leest			PATEL, DHIRUBHAI R		
McAndrews, H 34th Floor	McAndrews, Held & Malloy, Ltd. 34th Floor			PAPER NUMBER	
500 West Madi	500 West Madison Street			<u>. —- ;—</u>	
Chicago, IL 60661			DATE MAILED: 07/27/200:	5	

Please find below and/or attached an Office communication concerning this application or proceeding.

		AK
	Application No.	Applicant(s)
	10/715,942	CASTELLANI ET AL.
Office Action Summary	Examiner	Art Unit
	DHIRU R. PATEL	2831
The MAILING DATE of this communication Period for Reply	appears on the cover sheet w	rith the correspondence address
A SHORTENED STATUTORY PERIOD FOR RE THE MAILING DATE OF THIS COMMUNICATIO - Extensions of time may be available under the provisions of 37 CFI after SIX (6) MONTHS from the mailing date of this communication - If the period for reply specified above, is less than thirty (30) days, a - If NO period for reply is specified above, the maximum statutory pe - Failure to reply within the set or extended period for reply will, by st Any reply received by the Office later than three months after the m earned patent term adjustment. See 37 CFR 1.704(b).	N. R 1.136(a). In no event, however, may a reply within the statutory minimum of thi riod will apply and will expire SIX (6) MOI atute, cause the application to become A	reply be timely filed rty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).
Status		
1) Responsive to communication(s) filed on 1	6 May 2005.	
	This action is non-final.	
3) Since this application is in condition for allo		ters, prosecution as to the merits is
closed in accordance with the practice unde		•
Disposition of Claims	,	
4) Claim(s) 1-28 is/are pending in the applicat	ion.	
4a) Of the above claim(s) is/are with	drawn from consideration.	
5) Claim(s) is/are allowed.		
6)⊠ Claim(s) <u>1-28</u> is/are rejected.	•	• •
7) Claim(s) is/are objected to.		
8) Claim(s) are subject to restriction an	d/or election requirement.	
Application Papers		
9)☐ The specification is objected to by the Exam	niner.	
10) The drawing(s) filed on is/are: a) a	accepted or b) objected to	by the Examiner.
Applicant may not request that any objection to		
Replacement drawing sheet(s) including the cor	rection is required if the drawing	(s) is objected to. See 37 CFR 1.121(d).
11)☐ The oath or declaration is objected to by the	Examiner. Note the attache	d Office Action or form PTO-152.
Priority under 35 U.S.C. § 119	•	
12) Acknowledgment is made of a claim for fore	ign priority under 35 U.S.C. {	§ 119(a)-(d) or (f).
a) All b) Some * c) None of:	anta hava kasa wasii u d	·
1. Certified copies of the priority docume		undication No.
2. Copies of the certified copies of the priority documents of the certified copies of the priority documents.		
 Copies of the certified copies of the p application from the International Bur 		received in this National Stage
* See the attached detailed Office action for a	• • • •	received
See the attached detailed Office action for a	nst of the certified copies flot	ieceiveu.
•		
Attachment(s)		

1) Notice of References Cited (PTO-892)

Paper No(s)/Mail Date

2) Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)

Attachment(s)

4) Interview Summary (PTO-413)

6) Other: ____.

Paper No(s)/Mail Date. _____.

5) Notice of Informal Patent Application (PTO-152)

Art Unit: 2831

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, each simplex power receptacle having a respective housing recited in claims 1, 6, 14, 16, 21 and 26-27 must be shown or the feature(s) canceled from the claim(s). The examiner suggests showing reference number for a respective housing. A proposed drawing correction or corrected drawings are required in reply to the office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance. No new matter should be entered.

Applicant is responsible for showing reference number for claimed invention.

- 2. Applicant is required to submit a proposed drawing correction in reply to this office action. However, formal correction of the noted defect may be deferred until after the examiner has considered the proposed drawing correction. Failure to timely submit the proposed drawing correction will result in the abandonment of the application.
- 3. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84©)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant

Art Unit: 2831

will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

4. Claims 1-17 and 21-27 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

The examiner notes that MPEP 2163.02 states:

If a claim is amended to include subject matter, limitations, or terminology not present in the application as filed, involving a departure from, addition to, or deletion from the disclosure of the application as filed, the examiner should conclude that the claimed subject matter is not described in that application. This conclusion will result in the rejection of the claims affected under 35 U.S.C.112, first paragraph - description requirement, or denial of the benefit of the filing date of a previously filed application, as appropriate.

By adding that the invention may "each simplex power receptacle having a respective housing" the amended claim involves a departure from the disclosure of the application as filed. Therefore, the subject matter claimed in claims 1-17 and 21-27, detailing the entire scope of the invention, is not described in the application.

The examiner also notes that MPEP 2163.05 also states:

The failure to meet the written description requirement of 35 U.S.C. 112, first paragraph, commonly arises when the claims are changed after filing to either broaden or narrow the breadth of the claim limitations, or to alter a numerical range limitation or to use claim language which is not synonymous with the terminology used in the original disclosure.

Serial Number: 10/715942

Art Unit: 2831

To comply with the written description requirement of 35 U.S.C. 112, para. 1, or to be entitled to an earlier priority date or filing date under 35 U.S.C. 119, 120, or 365(c), each claim limitation must be expressly, implicitly, or inherently supported in the originally filed disclosure.

Page 4

Specification

5. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: Claims 1-17 and 21-27 are not adequately supported by the **Original** specification. The added material "each simplex power receptacle having a respective housing "which is not supported by the **original** disclosure, see item 5 of this office action **Please note that inventor is responsible for providing element number for each claimed invention as well as** for providing page number, figure number, element number, and column with **lines number** in the original specification for claims 1-17 and 21-27 to verify and in compliance with statute 35 USC 112 first paragraph defined in MPEP.

Please note that the claim or claims (1-17 and 21-27) must conform to the invention as set forth in the remainder of the specification and the terms and phrases used in the claims (1-17 and 21-27) must find clear support or antecedent basis in the description so that the meaning of the terms in the claims may be ascertainable by reference to the description, see MPEP 608.01 (d)(1).

Art Unit: 2831

Response to Amendment

6. The amendment filed on 6/17/2004 is objected to under 35 U.S.C. 132 because it introduces new matter into the disclosure. 35 U.S.C. 132 states that no amendment shall Introduce new matter into the disclosure of the invention. The added material "each simplex power receptacle having a respective housing " which is not supported by the original disclosure for claims 1, 6,11, 14, 16, 21, and 26-27(i.e " each simplex power receptacle having a respective housing ").

Applicant is required to cancel the new matter in the reply to this Office Action.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103 (a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(a).

Art Unit: 2831

Whitehead discloses:

7. Claims 1-28 as best understood, are rejected under 35 U.S.C. § 103 (a) as being unpatentable over Whitehead (6,417,446) in view of Dola et al. (4,952,163).

Regarding claim 1, a poke-through fitting 10 (see fig 1, column 4 lines 35-40) of the type that is adapted to be supported in a circular opening 12 in a floor 14 of a building structure (see fig 2, entire column 2 and column 4 lines 35-67), the fitting comprising: an insert sized 20 (body see figs 1-2, entire column 2 and column 5 lines 4-65) for insertion into the circular floor opening (see figs 1-2 and entire abstract as well as entire column 2); and two power receptacles 98,99 (see figs 5-7, column 8 lines 1-2), but fails to disclose each of said power receptacles is simplex power receptacle and having a separate housing and two additional simplex power receptacles with each having a separate housing. Dola et al teach the use of a simplex receptacle 16 having a separate housing 22 (see fig 3, column 2 lines 25-35, column 3 lines 58-61 and entire column 4, please note that Dola et al disclose an opening 46 can be sized to correspond to the configuration of the front face of a simplex receptacle, see column 4 lines 40-43). It is well known in the electrical art to use a simplex power receptacle having a separate housing as evidence by Dola et al. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to replace each of said power receptacles of the assembly of Whitehead with a simplex power receptacle having a separate housing as needed bases or as required for different application as taught by Dole in order to reduce manufacture cost as well as an user.

Art Unit: 2831

With respect to two additional simplex power receptacles having a respective housing. It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide any number of separately simplex power receptacles, since it has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. St. Regis Paper Co. v. Bemis Co., 193 USPQ 8.

Regarding claim 2, the modified assembly of Whitehead disclose all the features of the claimed invention as shown above, including the simplex receptacles are configured to snap fit into a portion of the insert (see fig 1, and entire column 6 of Whitehead). It is noted that the modified assembly of Whitehead meet the structural limitations.

Regarding claim 4, the modified assembly of Whitehead disclose all the features of the claimed invention as shown above, including power receptacles are wired in separate electrical circuits (see figs 5-7 and column 1 lines 54-57 and entire column 6 of Whitehead). It is noted that the modified assembly of Whitehead meet the structural limitations.

Regarding claim 5, the modified assembly of Whitehead disclose all the features of the claimed invention as shown above, including a cover assembly 136 overlying the insert (see fig 3A, column 7 lines 25-30 of Whitehead), the cover assembly including access covers 150 for selectively covering and exposing the simplex power receptacles (see fig 3A and entire column 7 of Whitehead).

Art Unit: 2831

Whitehead discloses:

Regarding claim 6, a poke-through fitting 10 (see fig 1, column 4 lines 35-40) of the type that is adapted to be supported in a circular opening 12 in a floor 14 of a building structure (see fig 2, entire column 2 and column 4 lines 35-67), the fitting comprising: an insert sized 20 (body, see figs 1-2, entire column 2 and column 5 lines 4-65) for insertion into the circular floor opening (see figs 1-2 and entire abstract as well as entire column 2); and two power receptacles 98,99 and supported by the insert (see figs 5-7, column 8 lines 1-2), and four communication/data jacks 126, 127, 162 supported within the insert (please note that a wing 162 which allows the mounting of two additional data jacks, see fig 6, and entire column 7 and column 8 lines 8-10), but fails to disclose each of said power receptacles is simplex power receptacle and having a separate housing and two additional simplex power receptacles with each having a separate housing. Dola et al teach the use of a simplex receptacle 16 having a separate housing 22 (see fig 3, column 2 lines 25-35, column 3 lines 58-61 and entire column 4, please note that Dola et al disclose an opening 46 can be sized to correspond to the configuration of the front face of a simplex receptacle, see column 4 lines 40-43). It is well known in the electrical art to use a simplex power receptacle having a separate housing as evidence by Dola et al. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to replace each of said power receptacles of the assembly of Whitehead with a simplex power receptacle having a separate housing as needed bases or as required for different application as taught by Dole in order to reduce manufacture cost as well as an user.

Art Unit: 2831

With respect to additional simplex power receptacles and each having a separate housing. It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide any number of separately simplex power receptacles, since it has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. St. Regis Paper Co. v. Bemis Co., 193 USPQ 8.

Regarding claim 7, the modified assembly of Whitehead disclose all the features of the claimed invention as shown above, including the simplex receptacles are configured to snap fit into a portion of the insert (see fig 1, and entire column 6 of Whitehead). It is noted that the modified assembly of Whitehead meet the structural limitations.

Regarding claim 9, the modified assembly of Whitehead disclose all the features of the claimed invention as shown above, including at least two of the power receptacles are wired in separate electrical circuits (see figs 5-7 and column 1 lines 54-57 and entire column 6 of Whitehead). It is noted that the modified assembly of Whitehead meet the structural limitations.

Regarding claim 10, the modified assembly of Whitehead disclose all the features of the claimed invention as shown above, including a cover assembly 136 overlying the insert (see fig 3A, column 7 lines 25-30 of Whitehead), the cover assembly including access covers 150 (see fig 3A and entire column 7 of Whitehead) for selectively covering and exposing the simplex power receptacles (see fig 3A and entire column 7 of Whitehead).

Art Unit: 2831

Whitehead discloses:

Regarding claim 11, a poke-through fitting 10 (see fig 1, column 4 lines 35-40) of the type that is adapted to be supported in a circular opening 12 in a floor 14 of a building structure (see fig 2, entire column 2 and column 4 lines 35-67), the fitting comprising: an insert sized 20 (body,see figs 1-2, entire column 2 and column 5 lines 4-65) for insertion into the circular floor opening (see figs 1-2 and entire abstract as well as entire column 2); the insert having an upper end adjacent to the floor and having a chamber defined therein which extends downwardly from the upper end (see figs 2 and 7, and entire column 7), a cover 136 overlying the insert (see fig 3A), the cover having an upper surface, four communication/data jacks 126. 127, 162 mounted within the fitting such that the communication/data jacks do not extend upwardly beyond the upper surface of the cover (please note that a wing 162 which allows the mounting of two additional data jacks, see fig 6, and entire column 7 and column 8 lines 8-10) and two power receptacles 98,99 are mounted within the fitting such that the power receptacles do not extend upwardly beyond the upper surface of the cover (see fig 7, column 8 lines 1-2), but fails to disclose each of said power receptacles is simplex power receptacle and having a separate housing and two additional simplex power receptacles with each having a separate housing. Dola et al teach the use of a simplex receptacle 16 having a separate housing 22 (see fig 3, column 2 lines 25-35, column 3 lines 58-61 and entire column 4, please note that Dola et al disclose an opening 46 can be sized to correspond to the configuration of the front face of a simplex receptacle, see column 4 lines 40-43).

Art Unit: 2831

It is well known in the electrical art to use a simplex power receptacle having a separate housing as evidence by Dola et al. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to replace each of said power receptacles of the assembly of Whitehead with a simplex power receptacle having a separate housing as needed bases or as required for different application as taught by Dole in order to reduce manufacture cost as well as an user.

With respect to two additional power receptacles having a respective housing. It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide any number of separately simplex power receptacles, since it has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. St. Regis Paper Co. v. Bemis Co., 193 USPQ 8.

Regarding claim 13, the modified assembly of Whitehead disclose all the features of the claimed invention as shown above, including at least two of the simplex power receptacles are wired in separate electrical circuits (see figs 5-7 and column 1 lines 54-57 and the entire column 6 of Whitehead). It is noted that the modified assembly of Whitehead meet the structural limitations.

Whitehead discloses:

Regarding claim 14, a flush poke-through wiring fitting 10 (see fig 1, column 4 lines 35-40) of the type that is adapted to be supported in a floor opening 12 in a floor 14 of a building structure (see fig 2, entire column 2 and column 4 lines 35-67), the poke-through fitting comprising: an insert sized 20 (body,see figs 1-2, entire column 2 and column 5 lines 4-65) for insertion into the circular floor opening (see figs 1-2 and entire abstract); a cover 136 overlying the insert (see fig 3A), the cover having an upper surface; and two power receptacles 98,99 are mounted within

Art Unit: 2831

the fitting in a protected fashion such that the power receptacles do not extend upwardly beyond the upper surface of the cover (see fig 2, column 8 lines 1-2), but fails to disclose each of said power receptacles is simplex power receptacle and having a separate housing and two additional simplex power receptacles with each having a separate housing. Dola et al teach the use of a simplex receptacle 16 having a separate housing 22 (see fig 3, column 2 lines 25-35, column 3 lines 58-61 and entire column 4, please note that Dola et al disclose an opening 46 can be sized to correspond to the configuration of the front face of a simplex receptacle, see column 4 lines 40-43). It is well known in the electrical art to use a simplex power receptacle having a separate housing as evidence by Dola et al. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to replace each of said power receptacles of the assembly of Whitehead with a simplex power receptacle having a separate housing as needed bases or as required for different application as taught by Dole in order to reduce manufacture cost as well as an user.

With respect to two additional power receptacles having a respective housing. It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide any number of separately simplex power receptacles, since it has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. St. Regis Paper Co. v. Bemis Co., 193 USPQ 8.

In addition, it has been held that the recitation that an element is "adapted to" perform a function is not a positive limitation but only requires the ability to so perform. It does not constitute a limitation in any patentable sense. In re. Hutchison, 69 USPQ 138. It is noted that the modified assembly of Whitehead meet the structural limitations.

Art Unit: 2831

Whitehead discloses:

Regarding claim 16, a poke-through fitting 10 (see fig 1, column 4 lines 35-40) of the type that is adapted to be supported in a circular opening 12 in a floor 14 of a building structure (see fig 2, entire column 2 and column 4 lines 35-67), the fitting comprising: four communication/data jacks 126,127, 162 mounted within the fitting (please note that a wing 162 which allows the mounting of two additional data jacks, see fig 6, and entire column 7 and column 8 lines 8-10), the communication/data jacks being arranged in a longitudinal row (see fig 6); first and second electrical receptacles 88,89 disposed on a first lateral side of the communication/data jack (see fig 6); but fails to disclose the first and second receptacles are simplex receptacles and two additional simplex receptacles (third and fourth) and each of said receptacle having a separate housing. Dola et al teach the use of a simplex receptacle 16 having a separate housing 22 (see fig 3, column 2 lines 25-35, column 3 lines 58-61 and entire column 4, please note that Dola et al disclose an opening 46 can be sized to correspond to the configuration of the front face of a simplex receptacle, see column 4 lines 40-43). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to replace each of said power receptacles of the assembly of Whitehead with a simplex power receptacle having a separate housing as needed bases or as required for different application as taught by Dole in order to reduce manufacture cost as well as an user. With respect to two additional power receptacles having a respective housing. It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide any number of separately simplex power receptacles, since it has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. St.

Art Unit: 2831

Regis Paper Co. v. Bemis Co., 193 USPQ 8.

In addition, it has been held that the recitation that an element is "adapted to" perform a function is not a positive limitation but only requires the ability to so perform. It does not constitute a limitation in any patentable sense. In re. Hutchison, 69 USPQ 138. It is noted that the modified assembly of Whitehead meet the structural limitations.

Regarding claim 17, the modified assembly of Whitehead disclose all the features of the claimed invention as shown above, including the first pair of the power receptacles are wired in separate electrical circuits from the second pair of simplex receptacles (see figs 5-7 and column 1 lines 54-57 and the entire column 6 of whitehead). It is noted that the modified assembly of Whitehead meet the structural limitations.

Assembly of the device of Whitehead comprises method step of:

Regarding claim 18, a method of delivering flush poke-through wiring fitting 10 (see fig 1, column 4 lines 35-40) that is adapted to be supported in a floor opening 12 in a floor 14 of a building structure (see fig 2, entire column 2 and column 4 lines 35-67), the method comprising: providing a cover 146 that overlies the fitting and has an upper surface (see fig 2); mounting four communication/data jacks 126, 127, 162 within the fitting such that the communication/data jacks do not extend upwardly beyond the upper surface of the cover (please note that a wing 162 which allows the mounting of two additional data jacks, see fig 6, and entire column 7 and column 8 lines 8-10); mounting two power receptacles 98, 99 within the fitting such that the receptacles do not extend upwardly beyond the upper surface of the cover (see fig 3B), but fails to disclose each of said power receptacles is simplex receptacles and two additional simplex receptacles. Dola et al teach the use of a simplex receptacle 16 having a separate housing 22 (see fig 3, column 2 lines 25-35, column 3 lines 58-61 and entire column 4, please note that

Art Unit: 2831

Dola et al disclose an opening 46 can be sized to correspond to the configuration of the front face of **a simplex receptacle**, see column 4 lines 40-43). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to replace each of said power receptacles of the assembly of Whitehead with a simplex power receptacle having a separate housing as needed bases or as required for different application as taught by Dole in order to reduce manufacture cost as well as an user.

With respect to two additional simplex power receptacles having a respective housing. It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide any number of separately simplex power receptacles, since it has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. St. Regis Paper Co. v. Bemis Co., 193 USPQ.

Regarding claim 20, further comprising wiring at least two power receptacles in separate electrical circuits (see column 2 lines 1-7 of Whitehead). It is noted that the modified assembly of Whitehead meet the structural limitations.

Assembly of the device of Whitehead comprises method step of:

Regarding claim 21, a method for providing a poke-through fitting 10 (see fig1, column 4 lines 35-40) of the type that is adapted to be supported in a circular opening 12 in a floor 14 of a building structure (see fig 2, entire column 2 and column 4 lines 35-67), the method comprising: providing an insert sized 20 (see figs 1 and 6, entire column 2, column

5 lines 4-65) for insertion into the circular floor opening (see figs 1-2, entire abstract as well as entire column 2); and mounting two power receptacles 98,99 within said insert (see figs 1 and 6), but fails to disclose each of said power receptacles is simplex power receptacle and having a separate housing and two additional simplex power receptacles with each having a

Art Unit: 2831

separate housing. Dola et al teach the use of a simplex receptacle 16 having a separate housing 22 (see fig 3, column 2 lines 25-35, column 3 lines 58-61 and entire column 4, please note that Dola et al disclose an opening 46 can be sized to correspond to the configuration of the front face of **a simplex receptacle**, see column 4 lines 40-43). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to replace each of said power receptacles of the assembly of Whitehead with a simplex power receptacle having a separate housing as needed bases or as required for different application as taught by Dole in order to reduce manufacture cost as well as an user.

With respect to two additional simplex power receptacles having a respective housing.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide any number of separately simplex power receptacles, since it has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. St. Regis Paper Co. v. Bemis Co., 193 USPQ 8.

Regarding claim 22, the modified assembly of Whitehead disclose all the features of the claimed invention as shown above, including wherein the receptacles are configured to snap fit into a portion of the insert (see fig 6 of Whitehead).

Regarding claim 24, the modified assembly of Whitehead disclose all the features of the claimed invention as shown above, including wiring at least two of the receptacles in separate electrical circuits (see fig 7 and entire column 6 of Whitehead). It is noted that the modified assembly of Whitehead meet the structural limitations.

Regarding claim 25, the modified assembly of Whitehead disclose all the features of the claimed invention as shown above, including a cover assembly 136 including access covers 150 (see fig 3A and entire column 7 of Whitehead) for selectively covering and exposing the

Art Unit: 2831

simplex power receptacles (see fig 3A and entire column 7 of Whitehead). It is noted that the modified assembly of Whitehead meet the structural limitations.

Assembly of the device of Whitehead comprises method step of:

Regarding claim 26, a method for providing a poke-through fitting 10 (see fig 1, column 4 lines 35-40) of the type that is adapted to be supported in a circular opening 12 in a floor 14 of a building structure (see fig 2, entire column 2 and column 4 lines 35-67), the method comprising: providing an insert sized 20 (body, see figs 1 and 6, entire column 2, column 5 lines 4-65) for insertion into the circular floor opening (see fig 2); mounting two power receptacles 98,99 within the insert (see figs 1 and 6), and mounting four communication/data jacks 126,127, 162 within the insert (please note that a wing 162 which allows the mounting of two additional data jacks, see fig 6, and entire column 7 and column 8 lines 8-10), but fails to disclose each of said power receptacles is simplex power receptacle and having a separate housing and two additional simplex power receptacles with each having a separate housing. Dola et al teach the use of a simplex receptacle 16 having a separate housing 22 (see fig 3, column 2 lines 25-35, column 3 lines 58-61 and entire column 4, please note that Dola et al disclose an opening 46 can be sized to correspond to the configuration of the front face of a simplex receptacle, see column 4 lines 40-43). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to replace each of said power receptacles of the assembly of Whitehead with a simplex power receptacle having a separate housing as needed bases or as required for different application as taught by Dole in order to reduce manufacture cost as well as an user.

With respect to two additional simplex power receptacles having a respective housing. It would have been obvious to one having ordinary skill in the art at the time the invention was

Art Unit: 2831

made to provide any number of separately simplex power receptacles, since it has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. St. Regis Paper Co. v. Bemis Co., 193 USPQ 8.

it has been held that the recitation that an element is "adapted to" perform a function is not a positive limitation but only requires the ability to so perform. It does not constitute a limitation in any patentable sense. In re. Hutchison, 69 USPQ 138. It is noted that the modified assembly of Whitehead meet the structural limitations.

Assembly of the device of Whitehead comprises method step of:

Regarding claim 27, a method for providing a poke-through wiring fitting 10 (see fig 1, column 4 lines 35-40) of the type that is adapted to be supported in a circular floor opening 12 in a floor 14 of a building structure (see fig 2, entire column 2 and column 4 lines 35-67), the method comprising: mounting four communication/data jacks 126, 127, 162 (please note that a wing 162 which allows the mounting of two additional data jacks, see fig 6, and entire column 7 and column 8 lines 8-10), the communication/data jacks being arranged in a longitudinal row (see fig 7); mounting first and second power receptacles 98, 99 on a first lateral side of the communication/data jack; but fails to disclose a third and a fourth simplex power receptacles having a separate housing, and the first and second power receptacles are simplex power receptacle with a separate housing. Dola et al teach the use of a simplex receptacle 16 having a separate housing 22 (see fig 3, column 2 lines 25-35, column 3 lines 58-61 and entire column 4, please note that Dola et al disclose an opening 46 can be sized to correspond to the configuration of the front face of a simplex receptacle, see column 4 lines 40-43). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to replace each of said power receptacles of the assembly of

Art Unit: 2831

Whitehead with a simplex power receptacle having a separate housing as needed bases or as required for different application as taught by Dole in order to reduce manufacture cost as well as an user.

With respect to two additional power receptacles having a respective housing. It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide any number of separately simplex power receptacles, since it has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. St. Regis Paper Co. v. Bemis Co., 193 USPQ 8.

it has been held that the recitation that an element is "adapted to" perform a function is not a positive limitation but only requires the ability to so perform. It does not constitute a limitation in any patentable sense. In re. Hutchison, 69 USPQ 138. It is noted that the modified assembly of Whitehead meet the structural limitations. It is noted that the modified assembly of Whitehead meet the structural limitations.

Regarding claim 28, the modified assembly of Whitehead disclose all the features of the claimed invention as shown above, including wiring the first pair of simplex power receptacles 18 are in a separate electrical circuit from the second pair of simplex receptacles (see fig 7 and entire column 6 of Whitehead).

Regarding claims 3,8,12,15, 19 and 23, the modified assembly of Whitehead disclose all the features of the claimed invention as shown above, including a fire stopping material disposed in the insert (see column 2 lines 50-52, and column 8 lines 53-67 and column 9 lines 1-6 of Whitehead).

Art Unit: 2831

With respect to claims 12, 15 and 19, the floor opening formed in the floor and with the poke-through wiring fitting supported in the floor opening, is substantially the same as the fire rating of the floor without the floor opening formed in the floor (see fig 2 of whitehead).

Conclusion

8. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action.

In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Response to Arguments

9. Applicant's arguments with respect to claims 1-28 have been fully considered but they are not persuasive. With respect to Applicant's arguments about simplex power receptacle with a separate housing is clearly disclosed in the original disclosure. The examiner respectively disagreed because there is no receptacle having a housing. The receptacle is a housing, as disclose. With respect to Applicant arguments that the applicants are surprised at the new objection and rejection only now being set forth and the

Page 21 Serial Number: 10/715942

Art Unit: 2831

principles of compact prosecution. As to the lack of compact prosecution,

the examiner apologizes for not earlier recognizing the lack of written description. However, all issues are now clear, and final, such that prosecution is closed, and thereby prosecution is compacted as desired. It is noted that part of the prosecution was because the examiner reopened prosecution in response to arguments by applicants, which was thought to redound to applicants benefits.

With respect to applicants arguments that there is no motivation to combine Whitehead with Dola and Norsworthy, please note that the current office action does not use the Norsworthy reference and please note that Whitehead disclosed that the novel design of the present invention allows the device to be readily modified to meet the various requirements (see column 7 lines 62063) as well as device 10' may be modified to provide only a single receptacle (see column 8 lines 1-2).

With respect to applicants arguments that the office action merely picks and chooses isolated elements from disparate references, please note that the current office action does not use the Norsworthy reference and please note that Whitehead disclosed that the novel design of the present invention allows the device to be readily modified to meet the various requirements (see column 7 lines 62063) as well as device 10' may be modified to provide only a single receptacle (see column 8 lines 1-2).

With respect to applicant arguments that traverses the objection to the drawings, the rejection under 35 USC 112, first paragraph, the objection to the specification, and the assertion that the June 14, 2004 Amendment added new matter. The examiner respectively disagreed and the objection to the drawings, the rejection under 35 USC 112, first paragraph, the objection to the specification, and the assertion that the June 14, 2004

Art Unit: 2831

Amendment added new matter are stand rejected according to the current office action.

Contact information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dhiru Patel whose telephone number is 571-272-1983. The examiner can normally be reached on Mon-Fri. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean Reichard can be reached on 571-272-2800 ext 31. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pairdirect.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll free).

Dhiru Patel

Primary Examiner

Group Art Unit 2831

July 25, 2005